



Catalogue & Application Guide





C.A.P.A. - Modern Outlook

Coated Abrasive Products Australia has established itself as a leader in the Coated Abrasives industry. With an expansive technical services team and new product development department constantly working on new and innovative products, CAPA focuses on being a leader in the Australian abrasives market.

Developing Partnerships

The concept of service takes centre stage at CAPA! Working closely with customers to understand their unique processes allows CAPA to evaluate more accurately which abrasive product would be best suited to a specific application. Through this close working relationship CAPA is able to help customers improve productivity and decrease manufacturing costs. CAPA's intent is to develop a close working partnership with each and every customer.

Understanding Applications

CAPA's highly trained technical staff are glad to assist with any application concerns or questions. They are recognised as one of the most highly trained and knowledgeable technical groups in the coated abrasives industry. Along with CAPA local sales personnel and specialist distributors, they develop a strong understanding of their customers processes and product needs. This in-depth understanding allows them to choose the best product for your process.

Providing Solutions

The following pages are designed to provide CAPA's customers with information and best product availability for general applications. Please note however that if you require specific information or samples or a test/trial to be conducted you should contact our trained application engineers.

Product Range

Cutting & Grinding

- Metal Cutting Wheels
- Metal Depressed Centre Cutting Wheels
- Metal Depressed Centre Grinding Wheels
- Masonry Cutting Wheels
- Masonry Depressed Centre Cutting Wheels
- Masonry Depressed Centre Grinding Wheels
- Iron Free Cutting Wheels
- Iron Free Grinding Wheels
- AC Flexible Finishing Discs
- Aluminium Cutting Discs
- INOX Cutting Wheels
- Combination Cutting Discs
- Diamond Blades
- Diamond Core Drills
- Vitrified Wheels
- ZEC Discs
- Strip-It Discs
- Tungsten Carbide Tipped Blades
- Planer Blades

Sanding & Polishing

- Linishing Belts
- Portable Belts
- Utility Rolls
- Painters Rolls
- Sanding Discs
- Free Cut Paper
- Wet & Dry Paper
- Orbital Sheets
- Speed File Sheets
- Flap Discs
- Resin Fibre Discs
- Surface Conditioning Belts and Discs
- Velcro Discs
- Stick-It Discs
- Starter Discs
- Floor Sheets
- Floor Edger Discs
- Grit Screen Pads & Discs
- Polishing Mops & Bonnets
- Backing Pads
- Industrial Wire Brushes

Safety & Workshop

- Safety Goggles & Glasses
- Dust Masks
- Ear Muffs
- Ear Plugs
- Gloves
- Extension Leads
- Welding Cables

Size	Spec	Grits	Pk Qty
Starcke Brand Sheets (Germany)			
230 x 280mm	542B/7 (Al ₂ O ₃)	40 - 100+	50
230 x 280mm	613B (Al ₂ O ₃)	40 - 400	50
230 x 280mm	691A (Al ₂ O ₃)	60 - 180+	50
230 x 280mm	991 (SiC)	60 - 5000	50
Starcke Brand Velcro Discs			
125mm Ø	542 B/C 7	40 - 100+	100
150mm Ø	524 B/C 7	40 - 100+	100
<i>Available as: No Hole, 6 Hole, 8 Hole & 9 Hole</i>			
4 Star Brand Velcro Discs (Large Ø No Holes)			
180mm Ø	Al ₂ O ₃	40 - 240	20
200mm Ø	Al ₂ O ₃	40 - 320	20
230mm Ø	Al ₂ O ₃	40 - 180	20
305mm Ø	Al ₂ O ₃	40 - 180	20
355mm Ø	Al ₂ O ₃	40	20
Starcke Brand Painters Rolls			
115mm x 50m	542B/C7 Al ₂ O ₃	40 - 100+	ea
115mm x 50m	542E6/F6 Al ₂ O ₃	40 - 100+	ea
115mm x 25m	613B Al ₂ O ₃	40 - 180	ea
Premium Brand Resin Fibre Discs			
100 x 16mm Ø	Al ₂ O ₃	16 - 120	25
115 x 22mm Ø	Al ₂ O ₃	16 - 120	25
125 x 22mm Ø	Al ₂ O ₃	16 - 120	25
178 x 22mm Ø	Al ₂ O ₃	16 - 120	25
Premium Brand Resin Fibre Discs			
100 x 16mm Ø	Zirconia Alox	24 - 120	25
115 x 22mm Ø	Zirconia Alox	36 - 120	25
125 x 22mm Ø	Zirconia Alox	24 - 120	25
180 x 22mm Ø	Zirconia Alox	24 - 120	25
Velcro Starter Material (Germany)			
100, 115, 125, 150, 180, 200mm Ø			10
230, 300, 350, 360, 405mm Ø			5
305 x 305mm Sheet			5
Linishing Belts			
50 x 915mm	TX-172 Al ₂ O ₃	40 - 120	10
50 x 1220mm	TX-172 Al ₂ O ₃	40 - 120	10
100 x 915mm	TX-172 Al ₂ O ₃	40 - 120	10
100 x 1220mm	TX-172 Al ₂ O ₃	40 - 120	10

Size	Spec	Grits	Pk Qty
Linishing Belts (Con't)			
150 x 1220mm	TX-172 Al ₂ O ₃	40 - 120	10
75 x 457mm	TX-172 Al ₂ O ₃	40 - 120	10
75 x 533mm	TX-172 Al ₂ O ₃	40 - 120	10
75 x 610mm	TX-172 Al ₂ O ₃	40 - 120	10
100 x 533mm	TX-172 Al ₂ O ₃	40 - 120	10
100 x 560mm	TX-172 Al ₂ O ₃	40 - 120	10
100 x 610mm	TX-172 Al ₂ O ₃	40 - 120	10
200 x 480mm	TX-172 Al ₂ O ₃	40 - 120	10
Zirconia/Alox Belts (Stainless & Metal Grinding)			
13 x 457mm	Zirconia Alox	40 - 120	10
20 x 457mm	Zirconia Alox	40 - 120	10
20 x 520mm	Zirconia Alox	40 - 120	10
50 x 914mm	Zirconia Alox	40 - 120	10
50 x 1220mm	Zirconia Alox	40 - 120	10
50 x 1520mm	Zirconia Alox	40 - 120	10
50 x 2440mm	Zirconia Alox	40 - 120	10
75 x 457mm	Zirconia Alox	40 - 120	10
75 x 533mm	Zirconia Alox	40 - 120	10
75 x 2000mm	Zirconia Alox	40 - 120	10
100 x 610mm	Zirconia Alox	40 - 120	10
100 x 914mm	Zirconia Alox	40 - 120	10
100 x 1220mm	Zirconia Alox	40 - 120	10
100 x 1520mm	Zirconia Alox	40 - 120	10
100 x 2440mm	Zirconia Alox	40 - 120	10
100 x 4270mm	Zirconia Alox	40 - 120	10
150 x 2000mm	Zirconia Alox	40 - 120	10
Black "Strip-It" Discs (Not 3M)			
50mm Ø	16mm Centre Hole		10
75mm Ø	16mm Centre Hole		10
6mm Ø Shaft Assembly for above discs			
100mm Ø	16mm Centre Hole		10
115mm Ø	22mm Centre Hole		10
125mm Ø	22mm Centre Hole		10
178mm Ø	22mm Centre Hole		10
100mm Ø x 16mm with ROLOC Type Backing Plate			10
Steel Shaft Assemble for above discs			
ROLOC Type Holder Pad for above			

Size	Spec	Grits	Pk Qty
Back-Up Pads for Resin Fibre Discs			
100 x 1.25mm	STD with Nut		ea
100 x 1.5mm	STD with Nut		ea
115 x 14mm	STD with Nut		ea
125 x 14mm	STD with Nut		ea
178 x 14mm	STD with Nut		ea
100 x 1.25mm	Turbo Pad with Nut		ea
100 x 1.5mm	Turbo Pad with Nut		ea
115 x 22mm	Turbo Pad with Nut		ea
125 x 22mm	Turbo Pad with Nut		ea
178 x 22mm	Turbo Pad with Nut		ea
125 x 6mm	With Arbor		ea
178 x 6mm	With Arbor		ea
Back-Up Pads for Velcro Discs (Rivet Centre Stud)			
125mm	5 Hole x 5/16" Ø 24 TPI Stud		ea
150mm	6 Hole x 5/16" Ø 24 TPI Stud		ea
178mm	No Holes with 14 x 2.0mm Nut		ea
Pro-Cut Metal Cutting Wheels			
100 x 2.5 x 16mm	Al ₂ O ₃	15300 RPM	50
115 x 2.5 x 22mm	Al ₂ O ₃	13300 RPM	50
125 x 2.5 x 22mm	Al ₂ O ₃	12200 RPM	50
230 x 2.5 x 22mm	Al ₂ O ₃	6500 RPM	50
305 x 3.2 x 25.4mm	Al ₂ O ₃	4500 RPM	10
350 x 3.0 x 25.4mm	Al ₂ O ₃	3900 RPM	10
355 x 3.5 x 25.4mm	Al ₂ O ₃	5400 RPM	10
405 x 3.4 x 25.4mm	Al ₂ O ₃	3000 RPM	10
405 x 3.8 x 25.4mm	Al ₂ O ₃	4800 RPM	10
Pro-Cut Metal Cutting Wheels			
100 x 3.0 x 16mm	Al ₂ O ₃	15300 RPM	50
115 x 3.0 x 22mm	Al ₂ O ₃	13300 RPM	50
125 x 3.0 x 22mm	Al ₂ O ₃	12200 RPM	50
230 x 3.0 x 22mm	Al ₂ O ₃	6500 RPM	50
Pro-Ultra Thin Metal Cutting Wheels			
100 x 1.2 x 16mm	Al ₂ O ₃	15300 RPM	50
115 x 1.2 x 22mm	Al ₂ O ₃	13300 RPM	50
125 x 1.2 x 22mm	Al ₂ O ₃	12200 RPM	50

Size	Spec	Grits	Pk Qty
Pro-Cut Masonry Cutting Wheels (SiC)			
100 x 2.5 x 16mm	Silicone Carb	15300 RPM	50
115 x 2.5 x 22mm	Silicone Carb	13300 RPM	50
125 x 2.5 x 22mm	Silicone Carb	12200 RPM	50
230 x 2.5 x 22mm	Silicone Carb	6500 RPM	10
Pro-Grind Metal Depressed Centre Grinding			
100 x 6.0 x 16mm	Al ₂ O ₃	15300 RPM	50
115 x 6.0 x 22mm	Al ₂ O ₃	13300 RPM	50
125 x 6.0 x 22mm	Al ₂ O ₃	12200 RPM	50
230 x 7.0 x 22mm	Al ₂ O ₃	6500 RPM	10
Combination Cutting Wheels for Stainless Steel/Steel			
100 x 1.0 x 16mm	Al ₂ O ₃	15300 RPM	25
115 x 1.0 x 22mm	Al ₂ O ₃	13300 RPM	25
125 x 1.0 x 22mm	Al ₂ O ₃	12200 RPM	25
230 x 2.0 x 22mm	Al ₂ O ₃	6500 RPM	25
355 x 3.0 x 25.4mm	Al ₂ O ₃	3900 RPM	10
Premium Metal Cutting Wheels			
75 x 1.6 x 9.5mm	Al ₂ O ₃	25000 RPM	25
100 x 2.5 x 16mm	Al ₂ O ₃	15300 RPM	50
115 x 2.5 x 22mm	Al ₂ O ₃	13300 RPM	50
125 x 2.5 x 22mm	Al ₂ O ₃	12200 RPM	50
150 x 2.5 x 16mm	Al ₂ O ₃	10200 RPM	25
150 x 2.5 x 20mm	Al ₂ O ₃	10200 RPM	10
150 x 2.5 x 22mm	Al ₂ O ₃	10200 RPM	25
178 x 2.5 x 16mm	Al ₂ O ₃	8500 RPM	10
178 x 2.5 x 20mm	Al ₂ O ₃	8500 RPM	10
178 x 2.5 x 22mm	Al ₂ O ₃	8500 RPM	25
200 x 2.5 x 16mm	Al ₂ O ₃	7700 RPM	10
200 x 2.5 x 22mm	Al ₂ O ₃	7700 RPM	10
200 x 2.5 x 25.4mm	Al ₂ O ₃	7700 RPM	10
230 x 3.0 x 16mm	Al ₂ O ₃	6800 RPM	10
230 x 2.5 x 22mm	Al ₂ O ₃	6800 RPM	25
230 x 2.5 x 25.4mm	Al ₂ O ₃	6800 RPM	25
230 x 3.0 x 35mm	Al ₂ O ₃	6800 RPM	10
250 x 3.0 x 25.4mm	Al ₂ O ₃	5400 RPM	10
300 x 3.0 x 25.4mm	Al ₂ O ₃	4500 RPM	10
300 x 3.5 x 20mm	Al ₂ O ₃	6300 RPM	10
300 x 3.2 x 22mm	Al ₂ O ₃	6300 RPM	10

Size	Spec	Grits	Pk Qty
Premium Metal Cutting Wheels			
300 x 3.5 x 25.4mm	Al ₂ O ₃	6300 RPM	10
355 x 2.8 x 25.4mm	Al ₂ O ₃	3900 RPM	10
355 x 3.4 x 25.4mm	Al ₂ O ₃	4300 RPM	10
355 x 3.6 x 20mm	Al ₂ O ₃	5400 RPM	10
355 x 3.6 x 25.4mm	Al ₂ O ₃	5400 RPM	10
400 x 3.4 x 25.4mm	Al ₂ O ₃	3000 RPM	10
400 x 3.8 x 25.4mm	Al ₂ O ₃	4000 RPM	10
Premium Brand Cutting Discs for Aluminium			
100 x 2.5 x 16mm	Al ₂ O ₃	15300 RPM	25
115 x 2.5 x 22mm	Al ₂ O ₃	13300 RPM	25
125 x 2.5 x 22mm	Al ₂ O ₃	12200 RPM	25
230 x 2.5 x 22mm	Al ₂ O ₃	6800 RPM	10
350 x 2.8 x 22mm	Al ₂ O ₃	4300 RPM	10
400 x 3.0 x 22mm	Al ₂ O ₃	4000 RPM	10
Premium Cutting Wheels INOX for Stainless Steel/Steel			
100 x 1.2 x 16mm	INOX	15300 RPM	50
100 x 1.6 x 16mm	INOX	15300 RPM	50
115 x 1.2 x 22mm	INOX	13300 RPM	50
115 x 1.6 x 22mm	INOX	13300 RPM	50
125 x 1.2 x 22mm	INOX	12200 RPM	50
125 x 1.6 x 22mm	INOX	12200 RPM	50
230 x 2.0 x 22mm	INOX	6500 RPM	25
230 x 2.5 x 22mm	INOX	6500 RPM	25
Metal Rail Cutting Wheels			
355 x 3.8 x 25.4mm	Al ₂ O ₃	5400 RPM	10
400 x 4.1 x 25.4mm	Al ₂ O ₃	4800 RPM	10
Premium Metal Depressed Centre Cutting Wheels			
100 x 3.0 x 16mm	Al ₂ O ₃	15300 RPM	25
115 x 3.0 x 22mm	Al ₂ O ₃	13300 RPM	25
125 x 3.0 x 22mm	Al ₂ O ₃	12200 RPM	25
180 x 3.0 x 22mm	Al ₂ O ₃	8500 RPM	25
230 x 3.0 x 22mm	Al ₂ O ₃	6500 RPM	25
Premium Metal Depressed Centre Grinding Wheels			
100 x 6.0 x 16mm	Al ₂ O ₃	15300 RPM	25
115 x 6.0 x 22mm	Al ₂ O ₃	13300 RPM	25
125 x 6.0 x 22mm	Al ₂ O ₃	12200 RPM	25
150 x 6.0 x 22mm	Al ₂ O ₃	10200 RPM	25

Size	Spec	Grits	Pk Qty
Premium Metal Depressed Centre Grinding Wheels			
180 x 7.0 x 22mm	Al ₂ O ₃	8500 RPM	10
230 x 7.0 x 22mm	Al ₂ O ₃	6500 RPM	10
Premium Grinding Wheels for Aluminium			
100 x 6.0 x 16mm	Al ₂ O ₃	15300 RPM	25
115 x 6.0 x 22mm	Al ₂ O ₃	13300 RPM	25
125 x 6.0 x 22mm	Al ₂ O ₃	12200 RPM	25
230 x 7.0 x 22mm	Al ₂ O ₃	3500 RPM	10
Premium Grinding Wheels for Stainless Steel/Steel			
100 x 6.0 x 16mm	INOX	15300 RPM	25
115 x 6.0 x 22mm	INOX	13300 RPM	25
125 x 6.0 x 22mm	INOX	12200 RPM	25
230 x 6.0 x 22mm	INOX	6500 RPM	25
Premium AC Flexible / Finishing Discs			
100 x 3.0 x 16mm	Al ₂ O ₃	#36, 46, 60	20
115 x 3.0 x 22mm	Al ₂ O ₃	#36, 46, 60	20
125 x 3.0 x 22mm	Al ₂ O ₃	#36, 46, 60	20
180 x 3.0 x 22mm	Al ₂ O ₃	#36, 46, 60	20
Premium HA/AC Flexible Discs (St/Steel, Aluminium, Steel)			
100 x 3.0 x 16mm	Green	#36, 46, 60	20
115 x 3.0 x 22mm	Green	#36, 46, 60	20
125 x 3.0 x 22mm	Green	#36, 46, 60	20
180 x 3.0 x 22mm	Green	#36, 46, 60	20
Vitrified Grinding Wheels (Grey)			
150 x 25 x 25.4mm	Al ₂ O ₃	A36,46,60	ea
200 x 25 x 25.4mm	Al ₂ O ₃	A24,36,46,60,80	ea
Vitrified Grinding Wheels (Green)			
150 x 25 x 25.4mm	Silicone Carb.	C60,80,100	ea
200 x 25 x 25.4mm	Silicone Carb.	C46,60,80,100	ea
Vitrified Grinding Wheels (White)			
150 x 25 x 25.4mm	Al ₂ O ₃	9A46,9A60	ea
150 x 25 x 25.4mm	Al ₂ O ₃	9A80,9A120	ea
200 x 25 x 25.4mm	Al ₂ O ₃	9A46,9A60	ea
200 x 25 x 25.4mm	Al ₂ O ₃	9A80,9A120	ea
Belt Cleaning Sticks			
35 x 35 x 210mm	Rubber	Natural	ea
50 x 50 x 250mm	Rubber	Natural	ea

Size	Spec	Grits	Pk Qty
Premium Masonry Depr. Centre Cutting Wheels			
100 x 3.0 x 16mm	Silicone Carb.	15300 RPM	25
115 x 3.0 x 22mm	Silicone Carb.	13300 RPM	25
125 x 3.0 x 22mm	Silicone Carb.	12200 RPM	25
180 x 3.0 x 22mm	Silicone Carb.	8500 RPM	10
230 x 3.0 x 22mm	Silicone Carb.	6500 RPM	10
Premium Masonry Depr. Centre Grinding Wheels			
100 x 3.0 x 16mm	Silicone Carb.	15300 RPM	25
115 x 3.0 x 22mm	Silicone Carb.	13300 RPM	25
125 x 3.0 x 22mm	Silicone Carb.	12200 RPM	25
180 x 3.0 x 22mm	Silicone Carb.	8500 RPM	10
230 x 3.0 x 22mm	Silicone Carb.	6500 RPM	10
Premium Masonry Cutting Wheels			
100 x 2.5 x 16mm	Silicone Carb.	15300 RPM	50
115 x 2.5 x 22mm	Silicone Carb.	13300 RPM	50
125 x 2.5 x 22mm	Silicone Carb.	12200 RPM	50
150 x 2.5 x 16mm	Silicone Carb.	10200 RPM	25
150 x 2.5 x 20mm	Silicone Carb.	10200 RPM	25
150 x 2.5 x 22mm	Silicone Carb.	10200 RPM	25
178 x 2.5 x 16mm	Silicone Carb.	8500 RPM	25
178 x 2.5 x 20mm	Silicone Carb.	8500 RPM	25
178 x 2.5 x 22mm	Silicone Carb.	8500 RPM	25
200 x 2.5 x 16mm	Silicone Carb.	7700 RPM	25
200 x 2.5 x 22mm	Silicone Carb.	7700 RPM	25
200 x 2.5 x 25.4mm	Silicone Carb.	7700 RPM	25
230 x 3.0 x 16mm	Silicone Carb.	6500 RPM	10
230 x 2.5 x 22mm	Silicone Carb.	6500 RPM	10
230 x 3.0 x 25mm	Silicone Carb.	6500 RPM	10
230 x 3.0 x 35mm	Silicone Carb.	6500 RPM	10
250 x 3.0 x 25.4mm	Silicone Carb.	7400 RPM	10
300 x 3.5 x 20mm	Silicone Carb.	6300 RPM	10
300 x 3.2 x 22mm	Silicone Carb.	6300 RPM	10
300 x 3.5 x 25.4mm	Silicone Carb.	6300 RPM	10
355 x 3.8 x 20mm	Silicone Carb.	5400 RPM	10
355 x 4.0 x 25.4mm	Silicone Carb.	5400 RPM	10
405 x 4.0 x 25.4mm	Silicone Carb.	5400 RPM	10
355 x 4.0 x 25.4mm	Silicone Carb.	Asphalt	10
400 x 4.0 x 25.4mm	Silicone Carb.	5400 RPM	10

Size	Spec	Grits	Pk Qty
Wire Brushes - Twist Knot Cup Brush			
65mm X M10	No Skirt H/Duty	0.5mm Wire	ea
65mm x M14	No Skirt H/Duty	0.5mm Wire	ea
70mm x M10	With Skirt H/Dty	0.5mm Wire	ea
70mm Ø x M14	With Skirt H/Dty	0.5mm Wire	ea
80mm Ø x M14	With Skirt H/Dty	0.5mm Wire	ea
100mm Ø x M14	With Skirt H/Dty	0.5mm Wire	ea
100mm Ø x 5/8"W	No Skirt H/Duty	0.5mm Wire	ea
120mm Ø x M14	With Skirt H/Dty	0.5mm Wire	ea
120mm Ø x 5/8"W	No Skirt H/Duty	0.5mm Wire	ea
<i>Rust, scale, paint and large areas</i>			
Wire Brushes - Bevel Brush Twist Knot			
100mm Ø x M10	12500 RPM	0.5mm Wire	ea
100mm Ø x M14	12500 RPM	0.5mm Wire	ea
<i>Welds, slag, cracks and irregular surfaces</i>			
Wire Brushes - Rotary Wheel Twist Knot			
100mm Ø x 16 Arbor	12500 RPM	0.5mm Wire	ea
<i>Welds cleaning and repairing</i>			
Wire Brushes - Rotary Wheel Crimped Brush			
150mm Ø x 25W	6000 RPM	0.35mm Wire	ea
200mm Ø x 25W	4500 RPM	0.35mm Wire	ea
<i>Surface deburring, stiff cutting</i>			
Wire Brushes - D.I.Y. Kit			
3 Piece Kit with Quick Release Adaptor			
Starcke Sanding Sponges			
123 x 98 x 13mm	Foam	100,180,220	25
95 x 67 x 25mm	Foam	60,100,180	25
Flexifoam Sanding Sponges			
98 x 69 x 26mm	A1/2R	60,100	25
123 x 98 x 5mm	HD2S	60,100,180	25
140 x 115 x 5mm	HD1S	100,180,280	25

Size	Spec	Grits	Pk Qty
Pro-Flap Zirconia Flap Discs (5° Angled Face)			
100 x 16mm Ø	Zirconia Alox	Z40 - Z120	10
115 x 22mm Ø	Zirconia Alox	Z40 - Z120	10
125 x 22mm Ø	Zirconia Alox	Z40 - Z120	10
178 x 22mm Ø	Zirconia Alox	Z40 - Z120	10
Orbital Sheets			
93 x 230mm	E Weight	P40 - 120	50
115 x 280mm	E Weight	P36 - 120	50
115 x 280mm	Wet & Dry	P1500	50
Speed File Sheets			
70 x 460mm	Al ₂ O ₃	P36 - 120	50
Utility / Economy Rolls (Cloth Backed)			
25mm x 50 metre	Al ₂ O ₃	P40 - 320	ea
38mm x 50 metre	Al ₂ O ₃	P40 - 320	ea
50mm x 50 metre	Al ₂ O ₃	P40 - 320	ea
Painters Rolls			
93mm x 10 metre	General Purp.	P40 - 180	ea
115mm x 10 metre	General Purp.	P40 - 180	ea
93mm x 25 metre	General Purp.	P40 - 240	ea
115mm x 25 metre	General Purp.	P40 - 240	ea
93mm x 10 metre	Zinc Stearate	P80 - 400	ea
115mm x 10 metre	Zinc Stearate	P80 - 400	ea
93mm x 25 metre	Zinc Stearate	P80 - 400	ea
115mm x 25 metre	Zinc Stearate	P80 - 400	ea
Floor Sanding Products			
200 x 480mm	Clark M/C	P24 - 120	50
200 x 510mm	Silverline M/C	P24 - 120	50
178 x 22mm	Edger Discs	P24 - 120	25
203 x 480mm	Drum Sander	P24 - 120	10
305 x 460mm	Screen Sheets	P80 - 180	10
406mm Ø	Screen Discs	P80 - 180	10
460 x 300mm	Finishing Pads	Various	10
<i>Above pads available in (Red, Black, White)</i>			
406mm Ø	Finishing Discs	Various	10
<i>Above discs available in (Red, Tan, Black, White, Green, Blue)</i>			

Size	Spec	Grits	Pk Qty
Diamond Core Drills			
8 - 12mm Ø	100mm Long	Diamond	ea
14 - 16mm Ø	150mm Long	Diamond	ea
18 - 26mm Ø	250mm Long	Diamond	ea
28 - 44mm Ø	300mm Long	Diamond	ea
50 - 202mm Ø	450mm Long	Diamond	ea
Core Drill Kit (38,50,63,115,125mm Ø) + Drill & Adaptors			
Diamond Blades (Continuous Wet & Dry)			
100mm Ø	SG100	AA	5
115mm Ø	SG115	AA	5
125mm Ø	SG125	AA	5
150mm Ø	SG150	AA	5
178mm Ø	SG178	AA	5
230mm Ø	SG230	AA	2
Super Turbo Diamond Blades (Wet & Dry)			
100mm Ø	STB100	AA	5
115mm Ø	STB115	AA	5
125mm Ø	STB125	AA	5
150mm Ø	STB150	AA	5
178mm Ø	STB178	AA	2
230mm Ø	STB230	AA	2
Diamond Cup Wheels (Wet & Dry)			
100mm Ø	CW100	AA	ea
115mm Ø	CW115	AA	ea
125mm Ø	CW125	AA	ea
178mm Ø	CW178	AA	ea
Tungsten Carbide Tipped Saw Blades			
100mm Ø	24,30 Teeth	Thin Kerf	5
165mm Ø	20,30,40 Teeth	Thin Kerf	5
185mm Ø	20,30,40 Teeth	Thin Kerf	5
Tungsten Carbide Tipped Saw Blades			
210mm Ø	20,40,60 Teeth	16 or 30mm	2
235mm Ø	24,30,40,60 T	16 - 25mm	2
255mm Ø	40,60,80 Teeth	25.4 - 30mm	2
305mm Ø	30,40,60,80 T	25.4 - 30mm	2
355mm Ø	50,60,70,80 T	25.4 - 30mm	2

Size	Spec	Grits	Pk Qty
ZEC Discs			
100 x 16mm Ø	Silicon Carbide	16 - 36	10
115 x 22mm Ø	Silicon Carbide	16 - 36	10
125 x 22mm Ø	Silicon Carbide	16 - 36	10
180 x 22mm Ø	Silicon Carbide	16 - 36	10
Surface Conditioning Discs			
50mm Ø	Roloc	F / M / C	10
50mm Ø backing pad x 6mm Spindle to suit above			
75mm Ø	Roloc	F / M / C	10
75mm Ø backing pad x 6mm Spindle to suit above			
100mm Ø	Velcro	F / M / C	10
115mm Ø	Velcro	F / M / C	10
125mm Ø	Velcro	F / M / C	10
180mm Ø	Velcro	F / M / C	10
Fine = Blue, Medium = Maroon, Coarse = Brown			
100mm x M14	Backing Pad	Velcro	ea
115mm x M14	Backing Pad	Velcro	ea
125mm x M14	Backing Pad	Velcro	ea
180mm x M14	Backing Pad	Velcro	ea
Surface Conditioning Material Belts			
25 x 610mm	Belt	F / M / C	5
50 x 915mm	Belt	F / M / C	5
50 x 1220mm	Belt	F / M / C	5
Fine = Blue, Medium = Maroon, Coarse = Brown			
Polishing Products			
125mm Ø	Bonnet	Lambswool	10
178mm Ø	Bonnet	Lambswool	10
200mm Ø	Bonnet	Lambswool	10
230mm Ø	Bonnet	Lambswool	10
Hyperfin	Compound	White	5
Ferropol	Compound	Black	5
Tripol	Compound	Orange	5
Multishine	Compound	Blue	5
Vonax/Polac	Compound	Gold	5
Green Chrome	Compound		5
Green Rouge	Compound		5
Coarse	Compound	D/Grey	5
Fastcut	Compound	L/Grey	5

Size	Spec	Grits	Pk Qty
Premium Brand Velcro Backed Discs			
115mm Ø No Holes	Al ₂ O ₃	P40 - 400	50
115mm Ø 8 Holes	Al ₂ O ₃	P40 - 400	50
125mm Ø No Holes	Al ₂ O ₃	P40 - 400	100
125mm Ø 8 Holes	Al ₂ O ₃	P40 - 400	100
150mm Ø No Holes	Al ₂ O ₃	P40 - 400	100
150mm Ø 6 Holes	Al ₂ O ₃	P40 - 400	100
150mm Ø 9 Holes	Al ₂ O ₃	P40 - 400	100
178mm Ø No Holes	Al ₂ O ₃	P40 - 400	50
115mm Ø No Holes	Zinc Stearate	P40 - 400	25
115mm Ø 8 Holes	Zinc Stearate	P40 - 400	25
125mm Ø No Holes	Zinc Stearate	P40 - 400	25
125mm Ø 8 Holes	Zinc Stearate	P40 - 400	25
150mm Ø No Holes	Zinc Stearate	P40 - 400	25
150mm Ø 6 Holes	Zinc Stearate	P40 - 400	25
150mm Ø 9 Holes	Zinc Stearate	P40 - 400	25
178mm Ø No Holes	Zinc Stearate	P40 - 400	25
200mm Ø No Holes	Zinc Stearate	P40 - 400	25
Premium Brand Velcro Backing Pads			
125mm Ø	Velcro	Various	ea
150mm Ø	Velcro	Various	ea
178mm Ø	Velcro	Various	ea
200mm Ø	Velcro	Various	ea
Available in (Thick Soft AS, Thick Med AB, Thin Hard AM)			
Premium Brand PSA Discs			
100mm Ø	Al ₂ O ₃	P40 - 400	100
115mm Ø	Al ₂ O ₃	P40 - 400	100
125mm Ø	Al ₂ O ₃	P40 - 400	100
150mm Ø	Al ₂ O ₃	P40 - 400	100
178mm Ø	Al ₂ O ₃	P40 - 400	100
200mm Ø	Al ₂ O ₃	P40 - 400	100
230mm Ø	Al ₂ O ₃	P40 - 400	100
250mm Ø	Al ₂ O ₃	P40 - 400	50
300mm Ø	Al ₂ O ₃	P40 - 400	50
350mm Ø	Al ₂ O ₃	P40 - 400	50
405mm Ø	Al ₂ O ₃	P40 - 400	50

Size	Spec	Grits	Pk Qty
Safety Products			
Safety Goggles - Clear			12
Safety Goggles & Ear Muff Set			10
Dust Masks			50
Ear Muffs			10
Ear Plugs (Disposable)			200
Safety Glasses - Clear (Budget)			12
Safety Glasses - Smoke (Budget)			12
Safety Glasses - Clear (EYRES 102CL)			12
Safety Glasses - Blue/Grey (EYRES 102BG)			12
Safety Glasses - Clear (EYRES 'MINE')			12
Safety Glasses - Smoke (EYRES 'MINE')			12
Welding Eye Protection			
Welding Shield (Flip Lid) Wide View			ea
Welding Lens - Tinted			25
Welding Lens - Clear			25
Welding Lens - Tinted (Wide View)			10
Welding Lens - Clear (Wide View)			10
Welding Tools			
Welding Electrode Holder 300A			ea
Welding Electrode Holder 500A			ea
Welding Electrode Holder Rev. 400A			ea
Welding Earth Clamp 500A			ea
Welding Earth Clamp 300A			ea
Welding Cables			
Welding Cable 16mm			p/mtr
Welding Cable 25mm			p/mtr
Welding Cable 35mm			p/mtr
Welding Cable 50mm			p/mtr
Welding Cable 70mm			p/mtr
Welding Electrodes			
2.0mm			2.5kg
2.5mm			2.5kg
2.5mm			5.0kg
3.2mm			5.0kg
4.0mm			5.0kg

Size	Spec	Grits	Pk Qty
Electric Core Drilling Machines			
1500 Watt Drill with Water Attachment			
Drill Stand to suit 1500W Drill			
2600 Watt Drill with Water Attachment & Stand			

Multitool Machines



PO362M

Belt & Disc Linishing Machine
3/4 HP Fan Cooled

- Attachment Only Also Available (PO362)
- 915 x 50mm Belt + 178mm Disc
89mm Contact Wheel
Suits 150 & 200mm Grinders



PO364M

Belt & Disc Linishing Machine
3/4 HP Fan Cooled

- Attachment Only Also Available (PO364)
- 915 x 100mm Belt + 178mm Disc
89mm Contact Wheel
Suits most 200mm Grinders



PO482M

Belt & Disc Linishing Machine
3/4 HP Fan Cooled

- Attachment Only Also Available (PO482)
- 1220 x 50mm Belt + 178mm Disc
89mm Contact Wheel
Suits most 200mm Grinders



PO602M

Belt & Disc Linishing Machine
1.5 HP Fan Cooled

- Attachment Only Also Available (PO602)
- 1520 x 50mm Belt + 178mm Disc
89mm Contact Wheel
Suits most 200mm Grinders



POMTA

Mitre Table Attachment
Table Size: 110 x 204mm
Tilt: 5° Up and 50° Down
Includes mitre square
Fits all Multitool models



Portagrind

Belt Linishing Attachment
610 x 25mm Belt
25mm Contact Wheel
Suits 100, 115, 125mm Angle Grinders
Suits Electric or Pneumatic Grinders

Bench Grinders - Abbott & Ashby



ATBG280/6
Bench Grinder
150mm/6"
280W Motor
Industrial
Fully adjustable tool rests



ATBG600/8
Bench Grinder
200mm/8" (50mm Wheel Cap.)
600W Motor (3/4 HP)
Heavy Duty Industrial
Fully adjustable tool rests



ATBG930/10
Bench Grinder
250mm/10" (50mm Wheel Cap.)
1.25 HP Motor
Heavy Duty Industrial
Fully adjustable tool rests



ATBGU/6
Utility Bench Grinder
150mm/6"
240V / 10Amp Motor
Medium Duty
Fully adjustable tool rests



ATBGU/8
Utility Bench Grinder
200mm/8"
240V / 10Amp Motor
Medium Duty
Fully adjustable tool rests



ATPED/HDK
Bench Grinder Pedestal
Suits 150 & 200mm Grinders
Manufactured from heavy duty steel sections
Heavy Duty

Chicago Pneumatic Products



RP9106

90° Angle Head Die Grinder
1/4" & 6mm Collets (Std)
High Speed (25,000 RPM)
Air Consumption 9.0 l/s (19 cfm)



RP9105

Compact Die Grinder
1/4" & 6mm Collets (Std)
High Speed (30,000 RPM)
Air Consumption 9.0 l/s (19 cfm)



RP9108

120° Angle Head Grinder
1/4" & 6mm Collets (Std)
High Speed (25,000 RPM)
Air Consumption 9.0 l/s (19 cfm)



RP9118

Disc Angle Grinder
2" / 51mm Ø Discs
High Speed (20,000 RPM)
Air Consumption 4.0 l/s (8 cfm)



RP9120

Disc Angle Grinder
4" / 100mm Ø Discs
High Speed (14,000 RPM)
Air Consumption 10.0 l/s (21 cfm)



RP9121

Disc Angle Grinder
5" / 127mm Ø
High Speed (12,000 RPM)
Air Consumption 10.0 l/s (21 cfm)

Chicago Pneumatic Products



RP9123
Disc Angle Grinder
7" / 178mm Ø
High Speed (7,500 RPM)
Air Consumption 19.0 l/s (40 cfm)



RP9122
Disc Angle Grinder
4.5" / 115mm Ø
Speed (12,000 RPM)
Air Consumption 10.0 l/s (21 cfm)



RP9534
4-in-1 Modular Sander
7" / 178mm Ø
3/16" Random Orbital
High Speed (7,500 RPM)
Air Consumption 19.0 l/s (40 cfm)



Kits Available

RP9777
Mini Disc Polisher
3" / 75mm Ø
Light Weight - Easy Control
Speed (2,500 RPM)
Air Consumption 5.0 l/s (10.5 cfm)



CP7220
Random Orbital Palm Sander
6" / 152mm Ø
2.5mm Orbit (Fine Finishing)
Speed (12,000 RPM)
Air Consumption 10.0 l/s (17 cfm)



CP7250
Random Orbital Palm Sander
6" / 152mm Ø
5.0mm Orbit (Fine Finishing)
Speed (12,000 RPM)
Air Consumption 10.0 l/s (17 cfm)

Chicago Pneumatic Products



CP870
Dual Action Sander
6" / 152mm Ø
Rotary & Orbital Motion
Speed (10,000 RPM)
Air Consumption 7.5 l/s (18 cfm)



RP9779
Belt Sander
10mm Belt Capacity
Light Weight - Easy Control
Speed (22,000 RPM)
Air Consumption 13.0 l/s (28 cfm)



CP858
Belt Sander
10mm Belt Capacity
Professional Duty
Speed (18,000 RPM)
Air Consumption 10.3 l/s (22 cfm)



CP874
High Speed Cutter
3" / 75mm Ø
Suits sheetmetal, fiberglass etc.
Speed (22,000 RPM)
Air Consumption 6.0 l/s (12.5 cfm)



CP865P
Vertical Polisher
8" / 203mm Ø
Rugged 1HP Motor
Speed (2,500 RPM)
Air Consumption 11.1 l/s (23.5 cfm)



CP869P
Angle Polisher
8" / 203mm Ø
Flexi-Edge Polishing Pad
Speed (2,500 RPM)
Air Consumption 13.7 l/s (29 cfm)

Product Application Guide

	Steel	Stainless Steel	Aluminium	Timber	Plastic	Fiberglass	Auto	Masonry	Floor Sanding
 Cutting Discs	★	★	★			★	★	★	
 Grinding Disc	★	★	★				★	★	
 Rolls	★	★	★	★	★	★			
 Sheets	★	★	★	★	★	★	★		★
 Belts	★	★	★	★	★	★			★
 Flap Discs	★	★	★	★		★	★		
 Velcro Discs	★	★	★	★		★	★		★
 Resin Fibre	★	★	★				★		

A full range of special application products are also available

Coated Abrasives Terminology

ZIRCONIA ALUMINA (Z/A)

High stock removal grain best used in abusive applications. Longer lasting, cuts faster and is more economical than Al_2O_3

ALUMINIUM OXIDE (A/O) Al_2O_3

General purpose grain used on a variety of materials.

SILICON CARBIDE (S/C) SiC

General Purpose grain mainly used on non-ferrous metals.

542B/7

Semi-Friable Aluminium Oxide Grain, Resin Over Resin Bond, Semi Open Coating, 85 to 110 g/sqm Paper, Dust Repellent.

613B

Brown Aluminium Oxide Grain, Special Resin Bond, Open Coating, 85 to 110 g/sqm Paper.

691A

Brown Aluminium Oxide Grain, Resin Over Resin Waterproof Bond, Close Coating, Wet Sanding Paper 115 g/sqm.

991

Silicon Carbide (Black) Grain, Resin Over Resin Waterproof Bond, Close Coating

524B/C7

Semi-Friable Aluminium Oxide Grain, Special Resin Bond, Very Open Coating, 85 to 110 g/sqm Paper, Dust Repellent.

542E6/F6

Semi-Friable Aluminium Oxide Grain, Resin Over Resin Bond, Semi Open Coating, 220 to 270 g/sqm Paper, Anti-Static.

Zinc Stearate

Coating on the surface of abrasive papers for the function of anti-clogging and cooling. It's best used in dry polishing soft materials such as wood, paint, soft metal and autobody fillers etc.

Non-Standard

A complete range of non-standard products are available to suit specific applications.